



产品认证证书

证书编号：CQC2005010401161799

申请人名称及地址

常州市永安电机厂有限公司
武进区洛阳镇东都西路

制造商名称及地址

常州市永安电机厂有限公司
武进区洛阳镇东都西路

生产企业名称及地址

常州市永安电机厂有限公司(V041232)
江苏省常州市武进区洛阳镇东都西路

产品名称和系列、规格、型号

空气调节器风扇用三相异步电动机
见附件

产品标准和技术要求

GB/T12350-2009

认证模式

型式试验+企业质量保证能力和产品一致性检查（初始工厂检查）+
获证后监督

上述产品符合 CQC11-461104-2019 认证规则的要求，特发此证。

发证日期：2020年03月14日 有效期至：2023年09月17日
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

主任：_____

陆杨



中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>

C 0196953



PRODUCT CERTIFICATE

CERTIFICATE NO.: CQC2005010401161799

NAME AND ADDRESS OF THE APPLICANT

CHANGZHOU YONGAN ELECTRIC CO.,LTD.
DONG DU WEST ROAD OF LUOYANG TOWN CHANG ZHOU CHINA

NAME AND ADDRESS OF THE MANUFACTURER

CHANGZHOU YONGAN ELECTRIC CO.,LTD.
DONG DU WEST ROAD OF LUOYANG TOWN CHANG ZHOU CHINA

NAME AND ADDRESS OF THE FACTORY

CHANGZHOU YONGAN ELECTRIC CO.,LTD. (V041232)
DONG DU WEST ROAD OF LUOYANG TOWN CHANG ZHOU CHINA

PRODUCT NAME, MODEL AND SPECIFICATION

3-PHASE FAN MOTOR OF ROOM AIR CONDITIONER

To appendix

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T12350-2009

TYPE OF CERTIFICATION SCHEMES

type test + check of quality assurance capability and product consistency (initial factory inspection)+ follow up factory inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification rules of CQC11-461104-2019 .

Valid from: Mar.14,2020

Valid until: Sep.17,2023

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

President: _____

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

C 0196953



产品认证证书

附录:

证书编号: CQC2005010401161799

第 1 页 共 6 页

纸号: 196953

序号	型号	额定电压 (V)	额定频率 (Hz)	额定功率 (W)	极数 (P)	工作制	绝缘等级
1	YS (D) K4-XXX	208、230、380、380/415、415、、 460、575	50、60、 50/60	4	4、6、8、10	S1	B
2	YS(D)K300-XXX	208、230、380、380/415、415、、 460、575	50、60、 50/60	300	4、6、8、10	S1	B
3	YS(D)K310-XXX	208、230、380、380/415、415、、 460、575	50、60、 50/60	310	4、6、8、10	S1	B
4	YS(D)K320-XXX	208、230、380、380/415、415、、 460、575	50、60、 50/60	320	4、6、8、10	S1	B
5	YS(D)K325-XXX	208、230、380、380/415、415、、 460、575	50、60、 50/60	325	4、6、8、10	S1	B
6	YS(D)K330-XXX	208、230、380、380/415、415、、 460、575	50、60、 50/60	330	4、6、8、10	S1	B
7	YS(D)K340-XXX	208、230、380、380/415、415、、 460、575	50、60、 50/60	340	4、6、8、10	S1	B
8	YS(D)K350-XXX	208、230、380、380/415、415、、 460、575	50、60、 50/60	350	4、6、8、10	S1	B
9	YS(D)K360-XXX	208、230、380、380/415、415、、 460、575	50、60、 50/60	360	4、6、8、10	S1	B
10	YS(D)K370-XXX	208、230、380、380/415、415、、 460、575	50、60、 50/60	370	4、6、8、10	S1	B

注: 此附录与证书同时使用时有效。

主任: _____

陆杨



中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>



产品认证证书

附录:

证书编号: CQC2005010401161799

第 2 页 共 6 页

纸号: 196953

序号	型号	额定电压 (V)	额定频率 (Hz)	额定功率 (W)	极数 (P)	工作制	绝缘等级
11	YS(D)K375-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	375	4、6、8、10	S1	B
12	YS(D)K380-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	380	4、6、8、10	S1	B
13	YS(D)K385-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	385	4、6、8、10	S1	B
14	YS(D)K390-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	390	4、6、8、10	S1	B
15	YS(D)K400-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	400	4、6、8、10	S1	B
16	YS(D)K410-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	410	4、6、8、10	S1	B
17	YS(D)K415-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	415	4、6、8、10	S1	B
18	YS(D)K420-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	420	4、6、8、10	S1	B
19	YS(D)K425-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	425	4、6、8、10	S1	B
20	YS(D)K430-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	430	4、6、8、10	S1	B

注: 此附录与证书同时使用时有效。

主任: _____

陆楠



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>



产品认证证书

附录:

证书编号: CQC2005010401161799

第 3 页 共 6 页

纸号: 196953

序号	型号	额定电压 (V)	额定频率 (Hz)	额定功率 (W)	极数 (P)	工作制	绝缘等级
21	YS(D)K440-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	440	4、6、8、10	S1	B
22	YS(D)K450-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	450	4、6、8	S1	B
23	YS(D)K455-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	455	4、6、8	S1	B
24	YS(D)K460-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	460	4、6、8	S1	B
25	YS(D)K470-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	470	4、6、8	S1	B
26	YS(D)K480-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	480	4、6、8	S1	B
27	YS(D)K490-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	490	4、6、8	S1	B
28	YS(D)K500-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	500	4、6、8	S1	B
29	YS(D)K510-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	510	4、6、8	S1	B
30	YS(D)K520-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	520	4、6、8	S1	B

注: 此附录与证书同时使用时有效。

主任: _____

陆楠



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>



产品认证证书

附录:

证书编号: CQC2005010401161799

第 4 页 共 6 页

纸号: 196953

序号	型号	额定电压 (V)	额定频率 (Hz)	额定功率 (W)	极数 (P)	工作制	绝缘等级
31	YS(D)K530-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	530	4、6、8	S1	B
32	YS(D)K540-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	540	4、6、8	S1	B
33	YS(D)K550-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	550	4、6、8	S1	B
34	YS(D)K560-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	560	4、6	S1	B
35	YS(D)K570-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	570	4、6	S1	B
36	YS(D)K580-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	580	4、6	S1	B
37	YS(D)K590-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	590	4、6	S1	B
38	YS(D)K600-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	600	4、6	S1	B
39	YS(D)K620-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	620	4、6	S1	B
40	YS(D)K630-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	630	4、6	S1	B

注: 此附录与证书同时使用时有效。

主任: _____

陆杨



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>



产品认证证书

附录:

证书编号: CQC2005010401161799

第 5 页 共 6 页

纸号: 196953

序号	型号	额定电压 (V)	额定频率 (Hz)	额定功率 (W)	极数 (P)	工作制	绝缘等级
41	YS(D)K650-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	650	4、6	S1	B
42	YS(D)K670-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	670	4、6	S1	B
43	YS(D)K700-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	700	4、6	S1	B
44	YS(D)K750-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	750	4、6	S1	B
45	YS(D)K800-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	800	4	S1	B
46	YS(D)K815-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	815	4	S1	B
47	YS(D)K850-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	850	4	S1	B
48	YS(D)K870-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	870	4	S1	B
49	YS(D)K900-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	900	4	S1	B
50	YS(D)K950-XXX	208、230、380、380/415、415、、460、575	50、60、50/60	950	4	S1	B

注: 此附录与证书同时使用时有效。

主任: _____

陆杨



中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>



产品认证证书

附录:

证书编号: CQC2005010401161799

第 6 页 共 6 页

纸号: 196953

序号	型号	额定电压 (V)	额定频率 (Hz)	额定功率 (W)	极数 (P)	工作制	绝缘等级
51	YS (D) K1000-XXX	208、230、380、380/415、415、、 460、575	50、60、 50/60	1000	4	S1	B
52	YS (D) K1050-XXX	208、230、380、380/415、415、、 460、575	50、60、 50/60	1050	4	S1	B
53	YS (D) K1100-XXX	208、230、380、380/415、415、、 460、575	50、60、 50/60	1100	4	S1	B

注: 此附录与证书同时使用时有效。

主任: _____

陆杨



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>